US0D1157600S

(12) United States Design Patent

Allen et al.

(10) Patent No.: US D1,157,600 S
(45) Date of Patent: ** Nov. 24, 2026

(54) **CONDUIT DEVICE**

(71) Applicant: **Modern Planet, Inc.**, Buffalo, NY (US)

(72) Inventors: **Cynthia Fairbanks Allen**, Buffalo, NY (US); **Brian Howard Allen**, Buffalo, NY (US); **Daniel P. Kowalik**, Orchard Park, NY (US)

(73) Assignee: **MODERN PLANET, INC.**, Buffalo, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/999,439**

(22) Filed: **Apr. 16, 2025**

Related U.S. Application Data

(63) Continuation of application No. 19/079,099, filed on Mar. 13, 2025.

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**

(58) **Field of Classification Search**
USPC D8/42, 382, 387–389; D13/123, D13/133–134, 153
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

173,615 A 2/1876 Gillspie
5,156,300 A 10/1992 Spahni et al.
(Continued)

FOREIGN PATENT DOCUMENTS

EP 180690 * 8/2004
EP 3708054 A1 9/2020
(Continued)

OTHER PUBLICATIONS

2 Watt Dimmable spiral filament LED Edison, Edison Light Globes, Apr. 1, 2026, https://edisonlightglobes.com/product/120v-globes/led-globes/2-watt-dimmable-spiral-filament-led-e26-edison/?srsltid=AfmBOorCP7rrSKyj42xBxjGZMy3G4I_VZ2rQesftvfr0Aw_-nx_JHI57&v=0b3b97fa6688 (Year: 2026).*

Primary Examiner — Justin M Jonaitis
Assistant Examiner — Elizabeth Sun Ko
(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC

(57) **CLAIM**

The ornamental design for a conduit device as shown and described.

DESCRIPTION

FIG. **1** is a first top perspective view of a conduit device of the present design;
FIG. **2** is a second top perspective view of the design shown in FIG. **1**;
FIG. **3** is a first bottom perspective view of the design shown in FIG. **1**;
FIG. **4** is a second bottom perspective view of the design shown in FIG. **1**;
FIG. **5** is a front elevational view of the design shown in FIG. **1**;
FIG. **6** is a rear side elevational view of the design shown in FIG. **1**;
FIG. **7** is a left side elevational view of the design in FIG. **1**;
FIG. **8** is a right side elevational view of the design shown in FIG. **1**;
FIG. **9** is an enlarged top plan view of the design shown in FIG. **1**;
FIG. **10** is an enlarged bottom plan view of the design shown in FIG. **1**;
FIG. **11** is a first top perspective view of a second embodiment of a conduit device of the present design;
FIG. **12** is a second top perspective view of the design shown in FIG. **11**;

(Continued)



FIG. **13** is a first bottom perspective view of the design shown in FIG. **11**;
FIG. **14** is a second bottom perspective view of the design shown in FIG. **11**;
FIG. **15** is a front elevational view of the design shown in FIG. **11**;
FIG. **16** is a rear side elevational view of the design shown in FIG. **11**;
FIG. **17** is a left side elevational view of the design in FIG. **11**;
FIG. **18** is a right side elevational view of the design shown in FIG. **11**;
FIG. **19** is an enlarged top plan view of the design shown in FIG. **11**;
FIG. **20** is an enlarged bottom plan view of the design shown in FIG. **11**;
FIG. **21** is a first top perspective view of a third embodiment of a conduit device of the present design;
FIG. **22** is a second top perspective view of the design shown in FIG. **21**;
FIG. **23** is a first bottom perspective view of the design shown in FIG. **21**;
FIG. **24** is a second bottom perspective view of the design shown in FIG. **21**;
FIG. **25** is a front elevational view of the design shown in FIG. **21**;
FIG. **26** is a rear side elevational view of the design shown in FIG. **21**;
FIG. **27** is a left side elevational view of the design in FIG. **21**;
FIG. **28** is a right side elevational view of the design shown in FIG. **21**;
FIG. **29** is an enlarged top plan view of the design shown in FIG. **21**; and,
FIG. **30** is an enlarged bottom plan view of the design shown in FIG. **21**.

The broken lines in the drawings depict portions of the conduit device that form no part of the claimed design.

1 Claim, 15 Drawing Sheets

(58) **Field of Classification Search**
CPC H01R 13/639; H01R 13/64; H01R 25/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,305,921	A	4/1994	Kock et al.	
5,421,485	A	6/1995	Furuta et al.	
6,609,525	B2 *	8/2003	Potter	A45D 8/04 132/276
D635,297	S *	3/2011	Hsu	D28/39
D683,072	S *	5/2013	Clark	D28/39
9,522,405	B2	12/2016	Stehil et al.	
10,391,509	B2	8/2019	Toh et al.	
10,477,934	B2 *	11/2019	Joyce	A45D 8/02
10,766,045	B1	9/2020	Youdovin	
10,850,291	B2	12/2020	Toh et al.	
11,033,920	B2	6/2021	Toh et al.	
D968,948	S	11/2022	Youdovin	
11,752,513	B2	9/2023	Goettke	
2007/0175493	A1 *	8/2007	Tandberg	A45D 8/36 132/275
2007/0272588	A1	11/2007	Longacre	
2008/0099036	A1 *	5/2008	Crowley	A45D 2/02 132/273
2009/0229625	A1 *	9/2009	Shyu	A45D 8/34 132/273
2017/0144176	A1	5/2017	Toh et al.	
2017/0173615	A1	6/2017	Toh et al.	

FOREIGN PATENT DOCUMENTS

GB	90034532570011	*	11/2016
JP	2011010011	*	1/2012
JP	7316633 B2		9/2020
KR	3020170026994	*	8/2018
WO	WO2012170187 A2		12/2012

* cited by examiner

FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8





FIG. 9



FIG. 10

FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18





FIG. 19



FIG. 20

FIG. 21



FIG. 22



FIG. 23



FIG. 24



FIG. 25



FIG. 26



FIG. 27



FIG. 28





FIG. 29



FIG. 30