

[54] MACHINE HOUSING FOR BELT-TYPE FINISHING TOOL

[75] Inventor: Paul W. Huber, Lancaster, N.Y.

[73] Assignee: Dynabrade, Inc., Tonawanda, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 814,911

[22] Filed: Dec. 30, 1985

[52] U.S. Cl. D8/62; D8/70; D15/126

[58] Field of Search D8/14, 61-64, D8/90-94; D15/122, 126; 51/135 R, 135 BT, 170 EB

[56] References Cited

U.S. PATENT DOCUMENTS

D. 215,047	8/1969	Mikiya	D8/62
D. 255,034	5/1980	Welsch et al.	D15/126
2,247,440	7/1941	Hempel	51/170 EB
3,534,508	10/1970	Del Vecchio	51/135 BT

OTHER PUBLICATIONS

1 Sheet Sales Literature "New Dynangle II Finishes Contours 8-83.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Clare E. Heflin
Attorney, Agent, or Firm—Bean, Kauffman & Bean

[57] CLAIM

The ornamental design for a machine housing for a belt-type finishing tool, as shown.

DESCRIPTION

FIG. 1 is a front and one side perspective view of a machine housing for a belt-type finishing tool showing my new design;

FIG. 2 is a rear and opposite side perspective view thereof;

FIG. 3 is a left side elevational view thereof;


FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof.






Fig. 1.




Fig. 2.

Fig. 3.





Fig. 4.






Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.