



US00D331605S

United States Patent [19][11] **Patent Number: Des. 331,605****Brydalski et al.**[45] **Date of Patent: ** Dec. 8, 1992**[54] **DETACHABLE BASE PLATE FOR A TRAFFIC SIGN**[75] Inventors: **Paul A. Brydalski**, West Seneca;
George A. Giotis, Williamsville, both
of N.Y.[73] Assignee: **Flasher Handling Corp.**, Depew,
N.Y.[**] Term: **14 Years**[21] Appl. No.: **611,869**[22] Filed: **Nov. 13, 1990**[52] U.S. Cl. **D20/17; D20/99**[58] Field of Search **D20/10, 17, 41, 42;**
40/584, 606, 607, 608, 610, 611, 612[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 215,896	11/1969	Moore		D20/41
D. 237,756	11/1975	Williamson		D20/17
3,218,746	11/1965	Hawkins, Jr.		D20/17
3,235,214	2/1966	Sprung		40/612
3,858,997	1/1975	Boone		40/612

3,863,880 2/1975 Lindner et al. 40/612

Primary Examiner—Wallace R. Burke*Assistant Examiner*—Marcy Jackson*Attorney, Agent, or Firm*—Bean, Kauffman & Spencer[57] **CLAIM**

The ornamental design for a detachable base plate for a traffic sign, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a detachable base plate for a traffic sign showing our new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof, with the opposite side being a mirror image;

FIG. 6 is a top plan view of a second embodiment thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a rear elevational view thereof; and,

FIG. 10 is a right side elevational view thereof, with the opposite side being a mirror image.




Fig. 1.




Fig. 2.




Fig. 3.



Fig. 4.



Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.



Fig. 9.



Fig. 10.

