



US00D350368S

United States Patent [19]

Steinwachs et al.

[11] **Patent Number:** Des. 350,368[45] **Date of Patent:** ** Sep. 6, 1994[54] **FLOOR SIGN**

[75] **Inventors:** Donald E. Steinwachs, Williamsville;
Scott A. Wardour, Grand Island;
Karen A. Budzinski, East Amherst;
Michael G. Tato, Kenmore; Clarice
H. Otminski, Lancaster, all of N.Y.

[73] **Assignee:** Emed Co., Inc., Buffalo, N.Y.[**] **Term:** 14 Years[21] **Appl. No.:** 12,287[22] **Filed:** Aug. 30, 1993[52] **U.S. Cl.** D20/10[58] **Field of Search** 40/1, 124, 124.1, 584,
40/591, 593, 592, 606, 607, 610, 611, 612, 618,
624; D20/10, 40, 41, 42; D10/109[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 260,780 9/1981 Maza et al. D20/10
D. 328,615 8/1992 Taylor D20/10
4,298,186 11/1981 Glass 40/606

4,796,369 1/1989 Hamann 40/606
4,928,415 5/1990 Walters 40/610
4,977,697 12/1990 Genick 40/606

Primary Examiner—Wallace R. Burke*Assistant Examiner*—Marcus Jackson*Attorney, Agent, or Firm*—Bean, Kauffman & Spencer[57] **CLAIM**

The ornamental design for a floor sign, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a floor sign showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear perspective view thereof; and,

FIG. 4 is a side elevational view thereof, as viewed from the right in FIG. 3, with the opposite side being a mirror image of that shown in FIG. 4.

The broken line showing in FIG. 1 forms no part of the present design, and is intended only to designate that portion of the floor sign to which indicia may be applied.





FIG. 1




FIG. 2




FIG. 3

FIG. 4

