



US00D644918S

(12) **United States Design Patent**
Rowan et al.

(10) **Patent No.:** **US D644,918 S**

(45) **Date of Patent:** **** Sep. 13, 2011**

(54) **DRAPERY ROD SUPPORT ASSEMBLY**

(75) Inventors: **Paul Rowan**, Toronto (CA); **Mauricio Affonso**, Toronto (CA)

(73) Assignee: **Umbra LLC**, Buffalo, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,776**

(22) Filed: **Jul. 29, 2010**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/363**

(58) **Field of Classification Search** D8/349,
D8/354, 363, 373; 248/235, 237, 243, 247;
160/38-39, 330

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D60,046 S * 12/1921 Lojewski D8/376

D559,081 S * 1/2008 Myers D8/354

* cited by examiner

Primary Examiner — Holly Baynham

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC

(57) **CLAIM**


The ornamental design for a drapery rod support assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the present invention;
FIG. 2 is a bottom perspective view of a left bracket of the present invention;
FIG. 3 is a bottom perspective view of a right bracket of the present invention;
FIG. 4 is a bottom perspective view of a support bracket of the present invention;

FIG. 5 is a left side elevational view of the left bracket of the present invention;
FIG. 6 is a right side elevational view of the left bracket of the present invention;
FIG. 7 is a left side elevational view of the right bracket of the present invention;
FIG. 8 is a right side elevational view of the right bracket of the present invention;
FIG. 9 is a right side elevational view of the support bracket of the present invention;
FIG. 10 is a left side elevational view of the support bracket of the present invention;
FIG. 11 is a top plan view of the left bracket of the present invention;
FIG. 12 is a top plan view of the right bracket of the present invention;
FIG. 13 is a bottom plan view of the left bracket of the present invention;
FIG. 14 is a bottom plan view of the right bracket of the present invention;
FIG. 15 is a bottom plan view of the support bracket of the present invention;
FIG. 16 is a top plan view of the support bracket of the present invention;
FIG. 17 is a front elevational view of the left bracket of the present invention;
FIG. 18 is a rear elevational view of the left bracket of the present invention;
FIG. 19 is a front elevational view of the right bracket of the present invention;
FIG. 20 is a rear elevational view of the right bracket of the present invention;
FIG. 21 is a front elevational view of the support bracket of the present invention; and,
FIG. 22 is a rear elevational view of the support bracket of the present invention.
The broken lines showing the rod in FIG. 1 and the portions of brackets shown in FIGS. 18, 20 and 22 are for the purposes of illustrating environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14



Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22