



US00D656005S

(12) **United States Design Patent**
Affonso

(10) **Patent No.:** **US D656,005 S**
(45) **Date of Patent:** **** Mar. 20, 2012**

(54) **DRAPERY ROD ASSEMBLY**

(75) Inventor: **Mauricio Affonso**, Toronto (CA)

(73) Assignee: **Umbra LLC**, Buffalo, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/381,885**

(22) Filed: **Dec. 23, 2010**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/380**

(58) **Field of Classification Search** D8/40,
D8/349, 353, 354, 355, 363, 366, 373, 380,
D8/394; D14/230, 447, 452, 457; 248/65,
248/68, 72, 74.1-74.4, 75, 276.1, 278.1,
248/286.1, 289.11, 917-924; 312/223.2;
361/681-683, 825

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,706,878	A *	1/1998	Guettler	160/369
D494,596	S *	8/2004	Pfister	D14/451
D538,634	S *	3/2007	King	D8/380

(Continued)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Barbara B Lohr

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC

(57) **CLAIM**

The ornamental design for a drapery rod assembly, as shown and described herein.

DESCRIPTION

FIG. 1 is a top perspective view of the present invention drapery rod assembly;

FIG. 2 is a top perspective view of a left bracket of the present invention;

FIG. 3 is a top perspective view of a right bracket of the present invention;

FIG. 4 is a top perspective view of a support bracket of the present invention;

FIG. 5 is a right side elevational view of the right bracket of the present invention;

FIG. 6 is a left side elevational view of the right bracket of the present invention;

FIG. 7 is a right side elevational view of the left bracket of the present invention;

FIG. 8 is a left side elevational view of the left bracket of the present invention;

FIG. 9 is a right side elevational view of the support bracket of the present invention;

FIG. 10 is a left side elevational view of the support bracket of the present invention;

FIG. 11 is a top plan view of the left bracket of the present invention;

FIG. 12 is a top plan view of the right bracket of the present invention;

FIG. 13 is a bottom plan view of the left bracket of the present invention;

FIG. 14 is a bottom plan view of the right bracket of the present invention;

FIG. 15 is a top plan view of the support bracket of the present invention;

FIG. 16 is a bottom plan view of the support bracket of the present invention;

FIG. 17 is a front elevational view of the left bracket of the present invention;

FIG. 18 is a rear elevational view of the right bracket of the present invention;

FIG. 19 is a rear elevational view of the left bracket of the present invention;


FIG. 20 is a front elevational view of the right bracket of the present invention;

FIG. 21 is a rear elevational view of the support bracket of the present invention; and,

FIG. 22 is a front elevational view of the support bracket of the present invention.

The broken lines in the drawing depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D656,005 S

Page 2

U.S. PATENT DOCUMENTS		D629,677 S * 12/2010 Sochko	D8/380
D553,966 S * 10/2007 Triay	D8/380	D639,150 S * 6/2011 Olson et al.	D8/380
D596,018 S * 7/2009 Lisowski	D8/380	* cited by examiner	




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22