



US00D745260S

(12) **United States Design Patent**  
**Kosuge**

(10) **Patent No.:** **US D745,260 S**

(45) **Date of Patent:** **\*\* Dec. 15, 2015**

(54) **HANDLE FOR A CANE**

**DESCRIPTION**

- (71) Applicant: **KOSUGE CORPORATION**, Tokyo (JP)
- (72) Inventor: **Kazuhiko Kosuge**, Tokyo (JP)
- (73) Assignee: **Kosuge Corporation**, Tokyo (JP)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/487,027**
- (22) Filed: **Apr. 4, 2014**
- (51) **LOC (10) Cl.** ..... **03-03**
- (52) **U.S. Cl.** ..... **D3/12**  
USPC ..... **D3/12**
- (58) **Field of Classification Search**  
USPC ..... D3/12, 4, 8, 7; D21/727; 135/65, 66;  
362/102; 473/560, 563  
CPC ..... A45B 9/00; A45B 3/00; A45B 3/04;  
A63B 59/14  
See application file for complete search history.

FIG. 1 is a right side elevational view of a first embodiment of a present invention handle for a cane;  
 FIG. 2 is a left side elevational view of the first embodiment of the present invention handle for a cane;  
 FIG. 3 is a front elevational view of the first embodiment of the present invention handle for a cane;  
 FIG. 4 is a back elevational view of the first embodiment of the present invention handle for a cane;  
 FIG. 5 is a top plan view of the first embodiment of the present invention handle for a cane;  
 FIG. 6 is a bottom plan view of the first embodiment of the present invention handle for a cane;  
 FIG. 7 is a front-right perspective view of the first embodiment of the present invention handle for a cane;  
 FIG. 8 is an enlarged right side elevational view of the first embodiment of a present invention handle for a cane;  
 FIG. 9 is an enlarged front elevational view of the first embodiment of the present invention handle for a cane;  
 FIG. 10 is an enlarged back elevational view of the first embodiment of the present invention handle for a cane;  
 FIG. 11 is an enlarged top plan view of the first embodiment of the present invention handle for a cane;  
 FIG. 12 is a right side elevational view of a second embodiment of a present invention handle for a cane;  
 FIG. 13 is a left side elevational view of the second embodiment of the present invention handle for a cane;  
 FIG. 14 is a front elevational view of the second embodiment of the present invention handle for a cane;  
 FIG. 15 is a back elevational view of the second embodiment of the present invention handle for a cane;  
 FIG. 16 is a top plan view of the second embodiment of the present invention handle for a cane;  
 FIG. 17 is a bottom plan view of the second embodiment of the present invention handle for a cane;  
 FIG. 18 is a front-right perspective view of the second embodiment of the present invention handle for a cane;  
 FIG. 19 is an enlarged right side elevational view of the second embodiment of a present invention handle for a cane;  
 FIG. 20 is an enlarged front elevational view of the second embodiment of the present invention handle for a cane;  
 FIG. 21 is an enlarged back elevational view of the second embodiment of the present invention handle for a cane; and  
 FIG. 22 is an enlarged top plan view of the second embodiment of the present invention handle for a cane.  
 The broken line showing is included for the purpose of illustrating portions of the handle for a cane and forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D19,947 S \* 6/1890 Schmidt ..... D3/14
- D19,968 S \* 7/1890 Weihman ..... D3/12

(Continued)

**FOREIGN PATENT DOCUMENTS**

- JP D1381533 \* 3/2010
- JP D1455096 \* 11/2012

**OTHER PUBLICATIONS**

Diamond Willow + Antler Tee Handle Cane, Announced Feb. 10, 2010, [Site visited Aug. 3, 2015] <http://lumberjocks.com/projects/27910>.\*

(Continued)

*Primary Examiner* — Eric Goodman


*Assistant Examiner* — Luqman McNeil

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC

(57) **CLAIM**

The ornamental design for a handle for a cane, as shown and described.

**1 Claim, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D19,998 S \* 7/1890 Schmidt ..... D3/12  
D133,915 S \* 9/1942 Penn ..... D3/8  
D261,199 S \* 10/1981 Dockery ..... D3/7  
D269,733 S \* 7/1983 Ayres ..... D3/7  
D283,370 S \* 4/1986 Hill ..... D3/7  
D293,388 S \* 12/1987 Susan ..... D3/12  
4,796,648 A \* 1/1989 Goulter ..... 135/65  
4,837,666 A \* 6/1989 Conkle ..... 362/102  
D324,944 S \* 3/1992 Stupak ..... D3/7  
D338,553 S \* 8/1993 Flemming ..... D3/7  
5,609,336 A \* 3/1997 Tashjian ..... 473/560  
D412,783 S \* 8/1999 You ..... D3/12  
D413,199 S \* 8/1999 You ..... D3/12  
D481,531 S \* 11/2003 Haythornthwaite ..... D3/12  
D539,523 S \* 4/2007 Wu ..... D3/7  
D544,201 S \* 6/2007 Berl ..... D3/12

D547,542 S \* 7/2007 Vellrath ..... D3/12  
D591,038 S \* 4/2009 Schroeder ..... D3/12  
D594,516 S \* 6/2009 Giblin ..... D21/727  
D600,002 S \* 9/2009 Fulkerson ..... D3/8  
D622,497 S \* 8/2010 Branton ..... D3/7  
D625,510 S \* 10/2010 Muller et al. .... D3/12  
D627,149 S \* 11/2010 Wu ..... D3/12  
7,980,969 B1 \* 7/2011 Hochberg ..... 473/563  
D690,927 S \* 10/2013 Jones ..... D3/7  
8,746,264 B2 \* 6/2014 Gorey et al. .... 135/66  
2007/0151587 A1 \* 7/2007 Yu ..... 135/66

OTHER PUBLICATIONS

Duck Fan Uses Broken Sticks to Help Vets, Announced Nov. 12, 2011, [Site Visited Aug. 3, 2015] <http://www.ocregister.com/articles/pull-326696-canes-says.html>.\*

\* cited by examiner




Fig. 1



Fig. 2




Fig. 3




Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13



Fig. 14




Fig. 15



Fig. 16



Fig. 17




Fig. 18




Fig. 19



Fig. 20



Fig. 21




Fig. 22