[11] Patent Number: Des. 293,863

[45] Date of Patent: \*\* Jan. 26, 1988

# [54] MULTIPLE COMPARTMENT CABINET HAVING REAR ACCESS TO INDIVIDUAL COMPARTMENTS

[75] Inventor: Richard J. Chester, Kennedy, N.Y.

[73] Assignee: American Locker Group

Incorporated, Jamestown, N.Y.

[\*\*] Term: 14 Years

[21] Appl. No.: 745,146

[22] Filed: Jun. 17, 1985

[52] U.S. Cl. ...... D6/445 [58] Field of Search ....... D6/432, 446, 447, 448,

D6/479; 312/204, 206, 283

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 100,213	6/1936	Johnson	D6/432
D. 180,171	4/1957	Band	D6/445
D. 194,470	1/1963	Parmet	D6/446
D. 205,951	10/1966	Band	D6/445
D. 225,969	1/1973	Rosenberg	D6/446 X
D. 248,138	6/1978	Stackhouse et al	D6/445
D. 263,638	3/1982	Donlin	D6/446 X
3,790,244	2/1974	Stackhouse	312/215
4,289,363	9/1981	Andersson et al	D6/445 X

#### OTHER PUBLICATIONS

Sweet's cat., file 1978, vol. 10, section 10.18/AR, p. 8; Locker Six Tier by American Locker Security Systems.

Primary Examiner—Carmen H. Vales Attorney, Agent, or Firm—Bean, Kauffman & Bean

[57] CLAIM

The ornamental design for a multiple compartment

cabinet having rear access to individual compartments, as shown and described.

#### DESCRIPTION

FIG. 1 is a front and left side perspective view of a multiple compartment cabinet having rear access to individual compartments showing my new design;

FIG. 2 is a rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front and right side perspective view thereof; FIG. 5 is a rear and left side perspective view thereof; FIG. 6 is a front and left side perspective view of a second embodiment of the cabinet shown in FIG. 1;

FIG. 7 is a rear and right side perspective view thereof;

FIG. 8 is a top plan view thereof;

FIG. 9 is a front and right side perspective view thereof; FIG. 10 is a rear and left side perspective view thereof; FIG. 11 is a front and left side perspective view of a third embodiment of the cabinet shown in FIG. 1; FIG. 12 is a rear and right side perspective view thereof;

FIG. 13 is a top plan view thereof;


FIG. 14 is a front and right side perspective view thereof;


FIG. 15 is a rear and left side perspective view thereof; FIG. 16 is a front perspective view of a fourth embodiment of the cabinet shown in FIG. 1, the rear, opposite side and top of the cabinet are identical to those shown in FIGS. 1-5;


FIG. 17 is a front perspective view of a fifth embodiment of the cabinet shown in FIG. 1, the rear, opposite side and top of the cabinet are identical to those shown in FIGS. 6-10; and

FIG. 18 is a front perspective view of a sixth embodiment of the cabinet shown in FIG. 1, the rear, opposite side and top of the cabinet are identical to those shown in FIGS. 11-15.

The bottom of the cabinets are flat and unornamented.










Fig. 1.




Fig. 2.




Fig. 3.



Fig. 4.




Fig. 5.




Fig. 6.

Jan. 26, 1988




Fig. 7.




Fig. 8.



Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.




Fig. 16.

Fig. 17.

Fig. 18.

